SCREENING REPORT FOR AN ENVIRONMENTAL AUTHORIZATION AS REQUIRED BY THE 2014 EIA REGULATIONS – PROPOSED SITE ENVIRONMENTAL SENSITIVITY

EIA Reference number: TBC

Project name: Skemervlei

Project title: Skemervlei

Date screening report generated: 27/08/2024 10:26:18

Applicant: Skemervlei Trust

Compiler: Greenmined

Compiler signature:


Application Category: Mining | Mining Permit

Table of Contents


۲	roposed Project Location	3
	Orientation map 1: General location	3
١	Лар of proposed site and relevant area(s)	4
	Cadastral details of the proposed site	4
	Wind and Solar developments with an approved Environmental Authorisation or applications under consideration within 30 km of the proposed area	4
	Environmental Management Frameworks relevant to the application	5
E	nvironmental screening results and assessment outcomes	5
	Relevant development incentives, restrictions, exclusions or prohibitions	5
	Proposed Development Area Environmental Sensitivity	
	Specialist assessments identified	
F	esults of the environmental sensitivity of the proposed area	
	MAP OF RELATIVE AGRICULTURE THEME SENSITIVITY	
	MAP OF RELATIVE ANIMAL SPECIES THEME SENSITIVITY	9
	MAP OF RELATIVE AQUATIC BIODIVERSITY THEME SENSITIVITY	10
	MAP OF RELATIVE ARCHAEOLOGICAL AND CULTURAL HERITAGE THEME SENSITIVITY	11
	MAP OF RELATIVE CIVIL AVIATION THEME SENSITIVITY	
	MAP OF RELATIVE DEFENCE THEME SENSITIVITY	13
	MAP OF RELATIVE PALEONTOLOGY THEME SENSITIVITY	14
	MAP OF RELATIVE PLANT SPECIES THEME SENSITIVITY	15
	MAP OF RELATIVE TERRESTRIAL RIODIVERSITY THEME SENSITIVITY	16

Proposed Project Location

Orientation map 1: General location



Map of proposed site and relevant area(s)



Cadastral details of the proposed site

Property details:

No	Farm Name	Farm/ Erf No	Portion	Latitude	Longitude	Property Type
1		199	0	32°7'49.71S	18°49'57.87E	Farm
2		199	2	32°8'21.88S	18°50'20.97E	Farm Portion
3		199	2	32°8'20.41S	18°50'19.67E	Farm Portion

Development footprint¹ vertices: No development footprint(s) specified.

Wind and Solar developments with an approved Environmental Authorisation or applications under consideration within 30 km of the proposed area

No	EIA Reference No	Classification	Status of application	Distance from proposed area (km)
1	12/12/20/2636/AM4	Solar PV	Approved	25
2	12/12/20/2636/AM5	Solar PV	Approved	25
3	12/12/20/2364/AM1	Wind	Approved	23.5
4	12/12/20/2636/AM3	Solar PV	Approved	27.4
5	12/12/20/2560	Solar PV	Approved	25.4

¹ "development footprint", means the area within the site on which the development will take place and incudes all ancillary developments for example roads, power lines, boundary walls, paving etc. which require vegetation clearance or which will be disturbed and for which the application has been submitted.

6	12/12/20/2364/AM2	Wind	Approved	23.5
7	12/12/20/2560/AM1	Solar PV	Approved	25.4
8	12/12/20/2636	Solar PV	Approved	27.4
9	12/12/20/2364	Wind	Approved	23.5

Environmental Management Frameworks relevant to the application

No intersections with EMF areas found.

Environmental screening results and assessment outcomes

The following sections contain a summary of any development incentives, restrictions, exclusions or prohibitions that apply to the proposed development site as well as the most environmental sensitive features on the site based on the site sensitivity screening results for the application classification that was selected. The application classification selected for this report is:

Mining | Mining Permit.

Relevant development incentives, restrictions, exclusions or prohibitions

The following development incentives, restrictions, exclusions or prohibitions and their implications that apply to this site are indicated below.

Incentive, restriction	Implication
or prohibition	
Strategic Transmission Corridor-Western corridor	https://screening.environment.gov.za/ScreeningDownloads/DevelopmentZones/Combined_EGI.pdf
Strategic Gas Pipeline Corridors-Phase 5: Abraham Villiers Bay (Northern Cape) to Saldanha	https://screening.environment.gov.za/ScreeningDownloads/DevelopmentZones/Combined GAS.pdf

Proposed Development Area Environmental Sensitivity

The following summary of the development site environmental sensitivities is identified. Only the highest environmental sensitivity is indicated. The footprint environmental sensitivities for the proposed development footprint as identified, are indicative only and must be verified on site by a suitably qualified person before the specialist assessments identified below can be confirmed.

Theme	Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
Agriculture Theme	Х			
Animal Species Theme		Х		
Aquatic Biodiversity Theme				Х
Archaeological and Cultural Heritage Theme				Х
Civil Aviation Theme		Х		
Defence Theme				Х
Paleontology Theme		Х		

Plant Species Theme		Χ	
Terrestrial Biodiversity Theme	Χ		

Specialist assessments identified

Based on the selected classification, and the known impacts associated with the proposed development, the following list of specialist assessments have been identified for inclusion in the assessment report. It is the responsibility of the EAP to confirm this list and to motivate in the assessment report, the reason for not including any of the identified specialist study including the provision of photographic evidence of the site situation.

No	Specialist assessment	Assessment Protocol		
1	Agricultural Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse ssmentProtocols/Gazetted General Agriculture Assessment Pro tocols.pdf		
2	Archaeological and Cultural Heritage Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse ssmentProtocols/Gazetted General Requirement Assessment P rotocols.pdf		
3	Palaeontology Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse ssmentProtocols/Gazetted General Requirement Assessment P rotocols.pdf		
4	Terrestrial Biodiversity Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse ssmentProtocols/Gazetted Terrestrial Biodiversity Assessment Protocols.pdf		
5	Aquatic Biodiversity Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse ssmentProtocols/Gazetted Aquatic Biodiversity Assessment Pr otocols.pdf		
6	Hydrology Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse ssmentProtocols/Gazetted General Requirement Assessment P rotocols.pdf		
7	Noise Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse ssmentProtocols/Gazetted Noise Impacts Assessment Protocol. pdf		
8	Radioactivity Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse ssmentProtocols/Gazetted General Requirement Assessment P rotocols.pdf		
9	Traffic Impact Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted General Requirement Assessment Protocols.pdf		
10	Geotechnical Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse ssmentProtocols/Gazetted General Requirement Assessment P rotocols.pdf		
11	Socio-Economic Assessment	https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_General_Requirement_Assessment_Protocols.pdf		
12	Plant Species Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse ssmentProtocols/Gazetted Plant Species Assessment Protocols. pdf		
13	Animal Species Assessment	https://screening.environment.gov.za/ScreeningDownloads/Asse ssmentProtocols/Gazetted Animal Species Assessment Protoco		


Page 6 of 17 <u>Disclaimer applies</u> 27/08/2024



Results of the environmental sensitivity of the proposed area.

The following section represents the results of the screening for environmental sensitivity of the proposed site for relevant environmental themes associated with the project classification. It is the duty of the EAP to ensure that the environmental themes provided by the screening tool are comprehensive and complete for the project. Refer to the disclaimer.


MAP OF RELATIVE AGRICULTURE THEME SENSITIVITY



Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
Х			

Sensitivity	Feature(s)
Low	Land capability;01. Very low/02. Very low/03. Low-Very low/04. Low-Very low/05. Low
Medium	Land capability;06. Low-Moderate/07. Low-Moderate/08. Moderate
Very High	Pivot Irrigation;Land capability;06. Low-Moderate/07. Low-Moderate/08. Moderate
Very High	Pivot Irrigation;Land capability;01. Very low/02. Very low/03. Low-Very low/04. Low-Very low/05. Low

MAP OF RELATIVE ANIMAL SPECIES THEME SENSITIVITY




Where only a sensitive plant unique number or sensitive animal unique number is provided in the screening report and an assessment is required, the environmental assessment practitioner (EAP) or specialist is required to email SANBI at eiadatarequests@sanbi.org.za listing all sensitive species with their unique identifiers for which information is required. The name has been withheld as the species may be prone to illegal harvesting and must be protected. SANBI will release the actual species name after the details of the EAP or specialist have been documented.

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
	X		

Sensitivity	Feature(s)
High	Aves-Polemaetus bellicosus
High	Aves-Circus maurus
Medium	Aves-Afrotis afra
Medium	Aves-Aquila rapax
Medium	Sensitive species 32
Medium	Invertebrate-Pachysoma aesculapius
Medium	Invertebrate-Pachysoma glentoni
Medium	Invertebrate-Brinckiella mauerbergerorum
Medium	Invertebrate-Brinckiella aptera

MAP OF RELATIVE AQUATIC BIODIVERSITY THEME SENSITIVITY



Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
			Χ

Sensitivity	Feature(s)	
Low	Low sensitivity	

MAP OF RELATIVE ARCHAEOLOGICAL AND CULTURAL HERITAGE THEME SENSITIVITY



Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
			Χ

Sensitivity	Feature(s)	
Low	Low sensitivity	


MAP OF RELATIVE CIVIL AVIATION THEME SENSITIVITY



Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
	X		

Sensitivity Feature(s)	
High	Within 8 km of other civil aviation aerodrome

MAP OF RELATIVE DEFENCE THEME SENSITIVITY



Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
			Χ

Sensitivity	Feature(s)	
Low	Low Sensitivity	


MAP OF RELATIVE PALEONTOLOGY THEME SENSITIVITY



Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
	X		

Sensitivity	Feature(s)
High	Features with a High paleontological sensitivity

MAP OF RELATIVE PLANT SPECIES THEME SENSITIVITY




Where only a sensitive plant unique number or sensitive animal unique number is provided in the screening report and an assessment is required, the environmental assessment practitioner (EAP) or specialist is required to email SANBI at eiadatarequests@sanbi.org.za listing all sensitive species with their unique identifiers for which information is required. The name has been withheld as the species may be prone to illegal harvesting and must be protected. SANBI will release the actual species name after the details of the EAP or specialist have been documented.

Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
		Х	

Sensitivity	Feature(s)
Low	Low Sensitivity
Medium	Sceletium expansum
Medium	Sensitive species 513
Medium	Ruschia densiflora
Medium	Ruschia incurvata
Medium	Psoralea angustifolia
Medium	Leucadendron brunioides var. flumenlupinum
Medium	Leucadendron procerum
Medium	Dischisma squarrosum
Medium	Manulea pillansii
Medium	Pentameris ecklonii
Medium	Ixia mollis
Medium	Oxalis uliginosa

Medium	Sensitive species 203
Medium	Athanasia adenantha
Medium	Macrostylis crassifolia
Medium	Sensitive species 663
Medium	Phylica cuspidata var. cuspidata
Medium	Phylica cylindrica
Medium	Lampranthus glaucus
Medium	Argyrolobium velutinum
Medium	Leucospermum rodolentum
Medium	Protea scolymocephala
Medium	Sensitive species 1107
Medium	Heliophila elata
Medium	Lachnaea capitata
Medium	Sensitive species 732
Medium	Caesia sabulosa

MAP OF RELATIVE TERRESTRIAL BIODIVERSITY THEME SENSITIVITY



Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
Х			

Sensitivity	Feature(s)
Very High	ESA 2: Restore from other land use
Very High	ESA 1

Very High	CBA 1: Terrestrial
Very High	EN_Leipoldtville Sand Fynbos

